







## Part# VP6351

### Wood Center - Offset Post Mount - Round Ends

Specify Center to Center and Overall Dimension.  
Intermediate Post recommended for spans over 80".  
Add suffix "IP" to part number (Example: VP6351-IP).

<b>Size</b>	1-1/4" Diameter x 3-3/8" Projection
<b>Material</b>	Wood Dowel
<b>Fasteners</b>	<ul style="list-style-type: none"> <li>• TYPE 1MD - Single Mount - Thru Bolt - 5/16-18 x 2-1/2" T.B. &amp; Finish Washer</li> <li>• TYPE 5MD - Back to Back Mount - 5/16-18 x 2-3/8" Conehead; for Wood or Metal doors</li> <li>• TYPE 6MD - Single Mount - Concealed - 5/16-18 Tapped Thread in Door; for Metal doors</li> <li>• TYPE 6HDR - Single Mount - Concealed - 1/4-20 x 1" with Rivnut; for Metal Doors</li> <li>• TYPE 7MD - Single Mount - Concealed - #10 x 2" Wood Screw; for Wood doors</li> <li>• TYPE 9MD - Single Mount - Decorative Blind Head - 5/16-18 stud with cap; Specify Wood, Metal or Glass door and thickness</li> <li>• TYPE 10MD - Back to Back Mount - 5/16-18 x 1-1/4" Conehead with 5/8" Ø Plexiglass Sleeve, Metal and Vinyl Washers; for Glass doors; specify door thickness</li> </ul>
<b>Finishes</b>	US3/605 – Bright Brass US4/606 – Satin Brass US5/609 – Antique Brass US10/612 – Satin Bronze US10B/613 – Dark Bronze Oxidized US32/629 – Bright Stainless Steel US32D/630 – Satin Stainless Steel Flat Black Powder Coat Dark Bronze Powder Coat
<b>Available Wood Species</b>	<ul style="list-style-type: none"> <li>• Red Oak</li> <li>• White Oak</li> <li>• Soft Maple</li> <li>• Hard Maple</li> <li>• Cherry</li> <li>• African Mahogany</li> <li>• Honduras Mahogany</li> <li>• Hickory</li> <li>• Walnut</li> <li>• Pine</li> <li>• Poplar</li> <li>• Spanish Cedar</li> <li>• White Ash</li> </ul>

---

Copyright ©2025 Burns Manufacturing Inc. All rights reserved.  
Reproduction in whole or in part without the express written permission of  
Burns Manufacturing Inc. is prohibited.

2001 Lowell Avenue, Erie, PA 16506  
Phone: 800.519.2610 • Fax: 800.432.8767  
Website: [www.burnsmfg.com](http://www.burnsmfg.com)  
Email: [burnsmfg@burnsmfg.com](mailto:burnsmfg@burnsmfg.com)